



The Auto-Saucer is a rotary sauce dispensing system for shelf-stable ready-to-mix with water pizza sauce applications. A heavy-duty, fast and efficient system that consistently and accurately applies the precise amount of sauce while spreading it proportionally onto the dough. The vat will hold roughly 9qts/ 2.5gal of sauce. It is reliable with low maintenance, minimal training required, easy to clean, and truly plug-n-play. The programming is customized to each End Users' specifications: up to 5 dough types and 5 sizes between 6-18": we can even include a "cup fill" feature. The Auto-Saucer is fully factory assembled and wet-checked prior to shipping.

AIA FILE NUMBER:

PRODUCT OPTIONS AND ACCESSORIES

- 0111-302: Turntable Assembly 14" single
- 0111-303: Turntable Assembly 18" single
- 0111-532: Turntable Assembly Multi-Pan Step 6", 9", 11", 12", 13", 14"
- 0111-553: Turntable Assembly Multi-Pan Step 8", 10", 12", 14", 16"
- RSD-DLA-21C33 - Small Nozzle Assembly
- RSD-DLA-607: Priming Nozz;e
- RSD-DS-111: Nozzle Cleaning Assembly
- RSD-SV-521: Square Vat Cover
- RSD-SV-520: 9qt / 2.5gal Square Sauce Vat
- Stera-Sheen Green Label Cleaning / Sanitizing Chemical reoder available through PartsTown

PRODUCT FEATURES

- Consistent saucing for each pizza
- Extremely high reliability
- Easy to train on and use
- Low maintenance
- Plug 'n Play
- Customizable for up to 5 dough types
- 5 Programmable pizza sizes ranging from 6" - 18"
- Portion control and minimized waste
- ~9qt / 2.5gal sauce vat
- Built-In NSF approved cleaning program utilizing Stera-Sheen Green Label chemical to make the cleaning and sanitizing process simple

ITEM NUMBER:

MODEL: RSD-1-RTM-XCWSS-XXXX

WEIGHTS & DIMENSIONS

Width	22.25 in
Depth	28.5 in
Height	44.5 in
Weight	90 lb
Clearance Required: Top	2 in
Clearance Required: Front	4 in
Clearance Required: Back	6 in
Clearance Required: Left Side	1.25 in
Clearance Required: Right Side	1.25 in

WATER, PLUMBING, AND DRAINAGE SPECS

Water Line Required	Yes
Water Connection Source Type	Plumbed Water Line
Water Inlet Size	0.375 in
Water Inlet Pressure Minimum	50 PSI
Water Inlet Pressure Maximum	50 PSI
Water Inlet Pressure	50 PSI
Drain Line Required	No

ENERGY SPECS

Primary Energy Type	Electric
Electrical Amps Per Conductor	2.5
Electrical Total Amperage	2.5 A
Electrical Volts	110V
Electrical Total Wattage	275 W
Electrical Kilowatts	0.275 kW
Electrical Hertz	60 Hz
Electrical Phase	1-Phase
Electrical Plug Type	Three Prong Grounding Plug (NEMA 5-15P)

SHIPPING DETAILS

Ship Width	40 in
Ship Depth	48 in
Ship Height	53 in
Ship Weight	150 lb
Ship Cubic Size	58.887 ft ³
Number of Shipment Parcels	1
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	95688
Freight Class (NMFC)	92.5
Quick Ship Product	No
Ship Lead Time	40

PRODUCT CERTIFICATIONS



Number of Electrical Plugs	1
Electrical Connection Type	Cord and Plug
Number of Electrical Conductor Wires	3
Dedicated Circuit Required	No
Electrical Remarks	Grounded outlet required within 3' of the Auto-Saucer. Compatible with 50/60Hz - 110VAC, 2.5A / 240VAC 1.5A

MODEL: RSD-1-RTM-XCWSS-XXXX

ADDITIONAL SPECIFICATIONS

Capacity: Sauce	2.25 gal
Construction Remarks	Stainless Steel top. Seamless UL rated polyethylene enclosure and base. ABS or Ployethylene Turntable.
Number of Dough Types	5
Number of Pizza Sizes	5

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

