



The Auto-Saucer is a rotary sauce dispensing system for shelf-stable ready-to-use pizza sauce applications. A heavy-duty, fast and efficient system that consistently and accurately applies the precise amount of sauce while spreading it proportionally onto the dough. The vat will hold ~22qts/ 5.5gal of sauce. It is reliable with low maintenance, minimal training required, easy to clean, and truly plug-n-play. The programming is customized to each End Users' specifications: up to 5 dough types and 5 sizes between 6-18": we can even include a "cup fill" feature. The Auto-Saucer is fully factory assembled and wet-checked prior to shipping.

AIA FILE NUMBER:

PRODUCT OPTIONS AND ACCESSORIES

- 0111-302: Turntable Assembly 14" single
- 0111-303: Turntable Assembly 18" single
- 0111-532: Turntable Assembly Multi-Pan Step 6", 9", 11", 12", 13", 14"
- 0111-553: Turntable Assembly Multi-Pan Step 8", 10", 12", 14", 16"
- RSD-DLA-21C33 - Small Nozzle Assembly
- RSD-DLA-607: Priming Nozz;e
- RSD-DS-111: Nozzle Cleaning Assembly
- RSD-DTV-107: Round Vat Lid
- RSD-DTV-108: 22qt / 5.5gal Round Sauce Vat
- Stera-Sheen Green Label Cleaning / Sanitizing Chemical reoder available through PartsTown

PRODUCT FEATURES

- Consistent saucing for each pizza
- Extremely high reliability
- Easy to train on and use
- Low maintenance
- Plug 'n Play
- Customizable for up to 5 dough types
- 5 Programmable pizza sizes ranging from 6" - 18"
- Portion control and minimized waste
- ~22qt / 5.5gal sauce vat
- Built-In NSF approved cleaning program utilizing Stera-Sheen Green Label chemical to make the cleaning and sanitizing process simple

ITEM NUMBER:

MODEL: RSD-1-RTU-XCWSS-XXXX

WEIGHTS & DIMENSIONS

Width	22.25 in
Depth	28.375 in
Height	44.375 in
Weight	90 lb
Clearance Required: Top	2 in
Clearance Required: Front	4 in
Clearance Required: Back	6 in
Clearance Required: Left Side	1.25 in
Clearance Required: Right Side	1.25 in

SHIPPING DETAILS

Ship Width	40 in
Ship Depth	48 in
Ship Height	53 in
Ship Weight	150 lb
Ship Cubic Size	58.887 ft³
Number of Shipment Parcels	1
Ship Method	LTL Common Carrier
Shipping Origin Zip Code	95688
Freight Class Number (NMFC)	119630
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Electrical Plug Type	Three Prong Grounding Plug (NEMA 5-15P)
Electrical Amps Per Conductor	2.5	Number of Electrical Plugs	1
Electrical Total Amperage	2.5 A	Electrical Connection Type	Cord and Plug
Electrical Volts	110V	Number of Electrical Conductor Wires	3
Electrical Total Wattage	275 W	Dedicated Circuit Required	No
Electrical Kilowatts	0.275 kW	Electrical Remarks	Grounded outlet required within 3' of the Auto-Saucer.
Electrical Hertz	50 Hz		
Electrical Phase	1-Phase		

ADDITIONAL SPECIFICATIONS

Capacity: Sauce	5.5 gal
Legs or Casters	Casters
Number of Dough Types	5
Number of Pizza Sizes	5

MODEL: RSD-1-RTU-XCWSS-XXXX

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

