Wunder-Bar[™]

MODEL: WB-MU-04-02-8-0



The Mustang Beverage Tower is a sleek, compact design with all the capabilities of a large beverage dispenser in a small footprint. Advanced Crew facing display incorporates optional second interface, enabling both Staff Serve Mode and Customer Serve Mode. The Mustang can dispense up to 8 post-mix beverages of your choice. It can be configured to dispense any combination of flavor shots, carbonated, and non-carbonated beverages. Customizable programs or brand updates and flavor changes are easy using a simple USB port. Options for installation directly into the countertop with or without a rear facing screen are available as well as a version that clamps onto the countertop edge with or without a rear facing screen.

PRODUCT OPTIONS AND ACCESSORIES

 Personalized Content / Promotions can be uploaded to Mustang versions with incorporated Rear Screen option via USB.

PRODUCT FEATURES

- Compact Design: for small countertop footprint (8" wide).
- Dispense Customization: up to 8 brands, including configurable flavor shots.
- Can be configured as an isolated bar or countertop beverage tower plumbed as a standard bar gun.
- Flavor changes and software updates available via USB Port.





WUNDERBAR MUSTANG BEVERAGE TOWER - C'TOP MOUNT, WITH REAR DISPLAY, WITH DRAIN, 8 BASE, 0 FLAVOR

MODEL: WB-MU-04-02-8-0

WEIGHTS & DIMENSIONS	
Width	8 in
Depth	13.5 in
Height	16.75 in
Weight	21 lb
Clearance Required: Top	2 in
Clearance Required: Front	2 in
Clearance Required: Back	2 in
Clearance Required: Left Side	2 in
Clearance Required: Right Side	2 in

SHIPPING DETAILS	
Ship Width	10 in
Ship Depth	24 in
Ship Height	16 in
Ship Weight	23 lb
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	95688
Freight Class (NMFC)	250
Quick Ship Product (Official Com- mercial Foodservice Program)	No
Ship Lead Time	40

WATER, PLUMBING, AND DRAINAGE SPECIFICATIONS				
Water Line Required	Yes			
Water Connection Source Type	Plumbed Water Line			
Water Inlet Size	0.375 in			
Water Inlet Pressure Minimum	20 PSI			
Water Inlet Pressure Maximum	100 PSI			
Drain Line Required	No			
Drain Outlet Size	0.75 in			
Waste or Drain Remarks	If you choose to add a drain: ensure that the drain hose assembly is within distance of a drain according to federal, state, and local codes and regulations.			

PRODUCT CERTIFICATIONS









Wunderbar reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.



WUNDERBAR MUSTANG BEVERAGE TOWER - C'TOP MOUNT, WITH REAR DISPLAY, WITH DRAIN, 8 BASE, 0 FLAVOR

MODEL: WB-MU-04-02-8-0

ENERGY SPECIFICATIONS			
Primary Energy Type	Electric	Number of Electrical Conductor Wires	3
Electrical Volts	12V	Dedicated Circuit Required	No
Electrical Total Amperage	8.5 A		For a part of class III
Electrical Amps Per Conductor	8.5	Electrical Remarks	construction supplied
Electrical Total Wattage	102 W		from a detachable pow- er supply unit, the in-
Electrical Kilowatts	0.120 kW		structions state that the
Electrical Phase	1-Phase		appliance is only to be
Electrical Hertz	60 Hz		used with the unit pro-
Electrical Connection Type	Cord and Plug		vided. Instructions for
Electrical Plug Type	NEMA 5-15		class III appliances state that it must only be sup-
Number of Electrical Plugs	1_		plied at SELV.

ADDITIONAL SPECIFICATIONS ATTRIBUTES		
Control Type	Touchscreen	
Number of Servable Beverages	10	
Ventless Cooking Technology	No	

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.


Wunderbar reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated June 09, 2025



MODEL: WB-MU-04-02-8-0

TECHNICAL DRAWING



COUNTER TOP FRONT & REAR DISPLAY

p: 1.800.722.6738